# **ACTI-KLEAN** (revised September 2010)

**Material Safety Data Sheet** 

#### **SECTION I - COMPANY IDENTIFICATION**

PRODUCT: ACTI-KLEAN CAT. NO.: AK-1, AK-5, AK-55

MANUFACTURED BY: TELEPHONE NUMBERS:

Sporlan Division- Parker Hannifin Corporation Office: 1-(636)-239-1111 206 Lange Drive Emergency Only: 1-(800) 424-9300

Washington, MO 63090

#### **SECTION II - HAZARDOUS INGREDIENTS**

OSHA Hazardous Components (29 CFR 1910.1200) EXPOSURE LIMITS: 8 HR. TWA

OSHA PEL ACGIH TLV

Ethylene gylcol monobutyl ether (CAS# 111-76-2) 25 ppm (skin) 25 ppm (skin)

Dodecylbenzene sulfonic acid (CAS# 27176-87-0) NE NE

#### **SECTION III - HAZARDS IDENTIFICATIONS**

**EMERGENCY OVERVIEW:** WARNING! Eye and skin irritant. Harmful if swallowed or inhaled.

POTENTIAL HEALTH EFFECTS:

**INHALATION:** Inhalation of vapors in high concentration may cause headache, nausea, vomiting.

**EYE CONTACT:** Irritation develops immediately on contact.

**SKIN CONTACT:** Irritation develops on contact.

**INGESTION:** Harmful if swallowed. May cause headache, nausea, vomiting.

CHRONIC Effects: Not established.

NOTE:

CARCINOGENICITY: LISTED IN NTP? No IARC? No OSHA Regulated? No

# **SECTION IV - FIRST AID MEASURES**

INHALATION: Remove victim to fresh air and, if needed, immediately begin artificial respiration. Give oxygen if breathing is labored. Get emergency

medical help. Contact a physician immediately.

**EYE CONTACT:** Flush eyes with water for 15 minutes. Get medical attention if symptoms develop and persist.

SKIN CONTACT: Flush with water or soap and water for 15 minutes or until all traces have been removed. Seek medical attention if symptoms develop and

persist.

**INGESTION:** Do not induce vomiting. Rinse mouth out with water. Get immediate medical attention.

# **SECTION V - FIRE FIGHTING MEASURES**

FLASHPOINT (TEST METHOD): Not flammable - aqueous solution.

FLAMMABLE LIMITS: NA LOWER: NA UPPER: NA

AUTOIGNITION TEMPERATURE: NE

**GENERAL HAZARD:** 

FIRE FIGHTING INSTRUCTIONS: Approach fire from upwind side. Avoid breathing smoke, fumes, mist, or vapors on the downwind side. Firefighters

wear protective clothing and self-contained breathing apparatus.

**EXTINGUISHING MEDIA:** Dry powder, carbon dioxide (CO<sub>2</sub>), water fog or spray.

**HAZARDOUS COMBUSTION PRODUCTS:** Acrid smoke, irritating and toxic fumes of SO<sub>x</sub>, H<sub>2</sub>S, PO<sub>x</sub>.

# **SECTION VI - ACCIDENTAL RELEASE MEASURES**

LAND SPILL: SMALL SPILLS: Flush to sewer with large amounts of water. 10 parts water to 1 part product.

LARGE SPILLS: Pick up with absorbent media, place in non-leaking containers for proper disposal or reuse.

WATER SPILL: Notify proper authorities. Clean up leaks/spills immediately to prevent soil or water contamination.

## **SECTION VII - HANDLING AND STORAGE**

HANDLING: Avoid contact with skin, eyes, and clothing. After handling this product, wash hands before eating, drinking, or smoking. If contact

occurs, remove contaminated clothing. If needed, take first aid action shown in section IV. Launder contaminated clothing before reuse.

**STORAGE**: Store away from food stuffs.

# SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

**ENGINEERING CONTROLS:** Local exhaust ventilation.

PERSONAL PROTECTION: Respiratory protection not normally needed under normal conditions of use. Use rubber or latex gloves, chemical goggles or

full face shields. Use boots, aprons, drench showers, eye wash as needed for protection against spills and/or splashes.

#### **SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES**

VAPOR PRESSURE: ND SPECIFIC GRAVITY (H₂O=1): 1.02 SOLUBILITY IN WATER: Complete VAPOR DENSITY (Air=1): ND EVAPORATION RATE (BuAc=1): <1

VOC (G/L):

# ACTI-KLEAN (revised September 2010) FREEZING POINT: ND

**pH**: 11-12

**BOILING POINT: 212 F** 

APPEARANCE & ODOR: Green liquid.

**SECTION X - STABILITY AND REACTIVITY** 

STABILITY: Stable.

CONDITIONS TO AVOID: High temperatures. MATERIALS TO AVOID: Oxidizers.

**HAZARDOUS DECOMPOSITION PRODUCTS:** SO<sub>x</sub>, H<sub>2</sub>S, PO<sub>x</sub> and from combustion - smoke and toxic fumes.

HAZARDOUS POLYMERIZATION: Will not occur.

**SECTION XI - TOXICOLOGICAL INFORMATION** 

Ethylene Glycolmonobutylether

600 mg/kg (oral - wmn)
TCLo: 195 ppm/8hr (inh - human) GIT

TCLo: 100 ppm (inh - human) NOSE, EYE, CNS

LD50: 470 mg/kg (oral - rat) LC50: 2900 mg/m<sup>3</sup> (inh - rat)

Dodecyl benzene sulfonic acid LD50: 50-500 mg/kg (oral - mouse)

**SECTION XII - ECOLOGICAL INFORMATION** 

Harmful to aquatic life in very low concentrations. Ethylene Glycolmonobutylether 1000 ppm / 24 hr / brine shrimp / TLm

TDLo:

Dodecyl benzene sulfonic acid 5 - 15 ppm / guppy / lethal conc.

**SECTION XIII - DISPOSAL CONSIDERATIONS** 

Dispose as hazardous waste. Classification and documentation is required before disposal. Follow all local, state and federal regulations.

**SECTION XIV - TRANSPORTATION INFORMATION** 

PROPER SHIPPING NAME: Non-regulated material, liquid

HAZARD CLASS:

IDENTIFICATION NUMBER: DOT Emergency Guide #: Reportable Quantity (RQ):

International: Non-regulated material, liquid

**SECTION XV - REGULATORY INFORMATION** 

TSCA (Toxic Substance Control Act): Components of this product are listed on the TSCA Inventory.

CERCLA (Comprehensive Environmental Response, Compensation and Liability Act):

Reportable quantity is 1000 lbs. (dodecyl benzene sulfonic acid). Contact local authorities for other reporting requirements.

SARA TITLE III (Superfund Amendments and Reauthorization Act): Not listed.

CALIFORNIA PROPOSITION 65: Not listed.

**SECTION XVI - OTHER INFORMATION** 

State Right-to-Know Programs: MA, NJ, PA

NFPA Ratings

Health: 1 Flammability: 0

Reactivity: 0

HMIS Protective Equipment: X See your supervisor

Prepared by: Sporlan Division- Parker Hannifin Corporation

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Parker Hannifin Corporation. The data on this sheet related only to specific material designated herein. Parker Hannifin assumes no legal responsibility for use or reliance upon these data.